

 **TOYOTA**
TAKE THE LEAD

THE NEW
AVENSIS



Style & Luxury in a unique design

THE NEW **AVENSIS**

- Perfect design.
- Ultra Light Concept to minimize noise intrusion.
- Superb Braking Power
Anti-lock Braking System (ABS) with EBD device, that distribute the correct braking power to each wheel independently.
- Ergonomic seats designed with 10 different positions (driver seat) and higher hip point to ease getting in and out of your car.
- Comfort, more space and adaptability.



Superb air conditioner to provide extra comfort for all passengers



Designed around the driver with several easy-to-use devices



Clear and powerful sound system



Style & Luxury

in a unique design

- Driving stability.
- Antenna attached to the glass.
- Aerodynamic bold side view.
- 1.6 Manual and 2.0 Automatic Models.
- Excellent collision resistance.
- Engine immobiliser, central power door locking and remote keyless entry.



Cruise Control.
Pleasure and relaxation on long distances



Special attention to all details and materials




Awarded five-star by the "Euro NCAP" safety commission reaching 34 of the 36 possible points

SPECIFICATIONS

MODEL GRADE	1.6L VVT-I		2.0L VVT-I
	Base Line	High line	High line
ENGINE	1.6-litre (3ZZ-FE)		2.0-litre (1AZ-FSE)
Engine Type	4 cylinders inline, 16 valves DOHC		Chain drive VVT-I, water cooled
Bore and Stroke (mm)	79 x 81.5		86 x 86
Compression Ratio	10.5:1		11.0:1
Piston displacement (cc)	1598		1998
Max. output (HP@rpm)	120@6000 (SAE GROSS, unleaded)		161@5700 (SAE GROSS, unleaded)
Max. torque (N.m@rpm)	162@3800 (SAE GROSS, unleaded)		214@4000 (SAE GROSS, unleaded)
Fuel Injection system	Sequential Multiport Electronic Fuel Injection		Sequential Multiport Electronic Direct Injection
FUEL SYSTEM			
Fuel Tank Capacity (Litres)	60		
Fuel grade	Unleaded Gasoline - octane 90 or higher		
TRANSMISSION			
Gearbox	5-speed manual		4-speed automatic with Sequential Shifting System
BRAKES			
Front	Ventilated discs		
Rear	Solid discs		
ABS + EBD	Standard		
SUSPENSION			
Front	MacPherson strut with stabilizer bar		
Rear	Double wishbone with toe-control link		
STEERING			
Mechanism	Rack and pinion, electric power steering		Rack and pinion, hydraulic power steering
Minimum turning radius (Tyres) (m)	5.4		5.4
WHEELS			
Tires	195/65 R15	205/55 R16	205/55 R16
Rims	15" Steel Rims + full caps	16" alloy wheels	16" alloy wheels
BODY			
No of seats	N/A		5
Sun roof	standard		standard
SAFETY			
SRS Airbags Immobilizer	Standard (dual stage front Airbags: D & P, Side Airbags: D & P, knee Airbag: D) standard		
DIMENSIONS & WEIGHT			
Overall length x width x height (mm)	4630 x 1760 x 1500		4630 x 1760 x 1500
Wheelbase (mm)	2700		2700
Track Front (mm)	1505		1505
Track Rear (mm)	1500		1500
Luggage compartment capacity (litre)	520		520
Curb weight (kg)	1245-1320		1360-1405
Gross vehicle weight (kg)	1820		1895
PERFORMANCE			
Maximum Speed (Km/hr)	195		205
0-100 Km (sec)	12		9.5
0-400 m (sec)	18.1		17.6

Dimensions:



www.toyotaegypt.com.eg

The Sole Agent In A.R.E.: **Toyota Egypt S.A.E.**

Cairo: 10, Greek Hospital St., Abbassia - Tel.: (+202) 68 58 980 - 48 80 400, Fax.: 48 58 286

13, tower 12 southern group-Aghakhan towers, El Nile Corniche,

Sales: (+202) 4880450 - Ext.: 1222 - Service center: (+202) 4880412 - Ext.: 1116 - Fax: 20 45 454

Alexandria: 381, El Horrya Road, Mostafa Kamel - Tel.: (+203) 52 32 923 - 52 32 924 - 52 31 050, Fax: 52 310 40

Down Town - Al Hadika El Dawlia - Tel.: (+203) 3824050/60/70, Fax: (+203) 3824080

Toyota's Maintenance & Service Center - Industrial zone - El Manshia El Gedida-Meharam Beak.tel:(03) 3622207, fax:(03) 3622209